Refine Search

Search Results -

Terms	Documents
L3 and format\$6 same(look\$3 or imag\$3 or view\$6 or feel\$3 or touch\$6 or tactile)	11

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:

Database:

L4	(B)	Refine Search
Recall Text	Clear	Interrupt

Search History

DATE: Saturday, July 24, 2004 Printable Copy Create Case

<u>N</u> si	Set ame de by side	Query	Hit Count	Set Name result set
	DB = 0	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ		
	<u>L4</u>	L3 and format\$6 same(look\$3 or imag\$3 or view\$6 or feel\$3 or touch\$6 or tactile)	11	<u>L4</u>
	<u>L3</u>	patient same (data or information) same (code or cod\$3) same (segment\$6 or partition\$6) same (component\$ or device\$)	51	<u>L3</u>
	<u>L2</u>	patient same (data or information) same (code or cod\$3) same (segment\$6 or partition\$6) same (component\$ or device\$) same format\$6 with (look\$3 or imag\$3 or view\$6 or feel\$3 or touch\$6 or tactile)	1	<u>L2</u>
	DB=	USPT; PLUR=YES; OP=ADJ		
	<u>L1</u>	6260021.pn.	1	<u>L1</u>

END OF SEARCH HISTORY

First Hit Fwd Refs

Generate Collection Print

L4: Entry 7 of 11 File: USPT Nov 19, 2002

DOCUMENT-IDENTIFIER: US 6482156 B2

** See image for Certificate of Correction **

TITLE: Computerized medical diagnostic and treatment advice system including

network access

Detailed Description Text (23):

The voice processing (VP) board 122 supports speech recording and playback, as well as touch tone (DTMF) signal detection and decoding. A device driver, associated with the VP board 122, is loaded into system memory during load operations. The device driver supports communications between the VP board 122 and the application code at run time (e.g., when a person is seeking medical advice). Through a shared memory segment, the device driver sends event and status data to the application code in real-time as events occur on the associated telephone line. These events include the ring of an incoming call, touch tone key pressed by the caller, and the hang-up signal. The VP board 122 plays back speech messages that are stored on the hard drive 152. The algorithm processor 160 sends a selected speech file having an encoded speech message that is retrieved from the hard drive 152 to the VP board 122 at the appropriate time for speech message playback. A speech message can be of variable length with a typical message about one to two minutes in length. Several speech messages may be chained together to produce an extended spoken message, e.g., giving instructions to the patient. During speech file playback, the VP board 122 is monitoring touch tone response from the caller. The VP board 122 may be configured to interrupt speech file playback when a touch tone signal is detected.

Detailed Description Text (395):

Using the Internet and its software mechanisms such as HTML, CGI, and Java permits the MDATA system to: support Internet communication protocols and formats; store charts, tables, graphs, images, photos, video, audio files; store Internet pages and scripts (HTML, CGI, Java); stage scripts and other files for transmission; transmit pages and scripts as requested via the Internet; upload medical data collected by MDATA scripts from patients; download medical data to patients, physicians, labs, and HMOs; download MDATA scripts, programs, and data to patient computers; monitor and manage patient traffic, demand, and queuing; transmit medical data in color, graphics, and sound formats; transmit executable code to user computers; use the users' Graphic User Interface (screen, mouse, dialogs); distribute its computational load to user computers; extend its diagnostic tools to include visual analysis; access other sites via the Internet, such as: HMOs, insurance carriers, credit agency, bank; attending and referred physicians, hospitals, clinics, recovery homes; laboratories, pharmacies, health supply stores; nurses, health practitioners, aides; emergency rooms, paramedics, ambulance services.

Hit List

Clear Generate Collection Print Fwd Refs Bkwd Refs
Generate OACS

Search Results - Record(s) 1 through 11 of 11 returned.

☐ 1. Document ID: US 20030217111 A1

L4: Entry 1 of 11

File: PGPB

Nov 20, 2003

PGPUB-DOCUMENT-NUMBER: 20030217111

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20030217111 A1

TITLE: Method and system for implementing an information portal for viewing

information from disparate system's databases

Full Title Citation Front Review Classification Date Reference Sequences Attachments Claims KWC Draw. De

☐ 2. Document ID: US 20030074248 A1

L4: Entry 2 of 11

File: PGPB

Apr 17, 2003

PGPUB-DOCUMENT-NUMBER: 20030074248

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20030074248 A1

TITLE: Method and system for assimilating data from disparate, ancillary systems

onto an enterprise system

Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | Claims | KMC | Draw, Department | Departmen

5. Document 1D. CD 20030023300 111

L4: Entry 3 of 11

File: PGPB

Jan 30, 2003

PGPUB-DOCUMENT-NUMBER: 20030023580

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20030023580 A1

TITLE: Method and system for assimilating data from ancillary preumbra systems onto

an enterprise system

Full Title Citation Front Review Classification Date Reference Sequences Attachments Claims (OMC Draw, De

☐ 4. Document ID: US 20020099534 A1

L4: Entry 4 of 11

File: PGPB

Jul 25, 2002

PGPUB-DOCUMENT-NUMBER: 20020099534

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20020099534 A1

TITLE: Hand held medical prescription transcriber and printer unit

Full Title Citation Front Review Classification Date Reference Sequences Attachments Claims KWC Draw, De

☐ 5. Document ID: US 20020091991 A1

L4: Entry 5 of 11

File: PGPB

Jul 11, 2002

PGPUB-DOCUMENT-NUMBER: 20020091991

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20020091991 A1

TITLE: Unified real-time microprocessor computer

Full Title Citation Front Review Classification Date Reference Sequences Attachments Claims KWC Draw De

☐ 6. Document ID: US 6575969 B1

L4: Entry 6 of 11

File: USPT

Jun 10, 2003

US-PAT-NO: 6575969

DOCUMENT-IDENTIFIER: US 6575969 B1

TITLE: Cool-tip radiofrequency thermosurgery electrode system for tumor ablation

☐ 7. Document ID: US 6482156 B2

L4: Entry 7 of 11

File: USPT

Nov 19, 2002

US-PAT-NO: 6482156

DOCUMENT-IDENTIFIER: US 6482156 B2

** See image for <u>Certificate of Correction</u> **

TITLE: Computerized medical diagnostic and treatment advice system including

network access

Full Title Citation Front Review Classification Date Reference 22 (1888) 20 (1888) Claims KMC Draw De

☐ 8. Document ID: US 5295485 A

L4: Entry 8 of 11

File: USPT

Mar 22, 1994

Record List Display Page 3 of 4

US-PAT-NO: 5295485

DOCUMENT-IDENTIFIER: US 5295485 A

TITLE: Ultrasonic diagnostic system

Full | Title | Citation | Front | Review | Classification | Date | Reference | Section | State | State | Claims | KMC | Draw, Define | Draw,

US-PAT-NO: 5161536


DOCUMENT-IDENTIFIER: US 5161536 A

TITLE: Ultrasonic position indicating apparatus and methods

US-PAT-NO: 4835372

DOCUMENT-IDENTIFIER: US 4835372 A

TITLE: Patient care system



TDB-ACC-NO: NN8903336

DISCLOSURE TITLE: Portable LISP System

PUBLICATION-DATA:


IBM Technical Disclosure Bulletin, March 1989, US

VOLUME NUMBER: 31 ISSUE NUMBER: 10

PAGE NUMBER: 336 - 338

SECURITY: Use, copying and distribution of this data is subject to the restictions in the Agreement For IBM TDB Database and Related Computer Databases. Unpublished - all rights reserved under the Copyright Laws of the United States. Contains confidential commercial information of IBM exempt from FOIA disclosure per 5 U.S.C. 552(b)(4) and protected under the Trade Secrets Act, 18 U.S.C. 1905.

COPYRIGHT STATEMENT: The text of this article is Copyrighted (c) IBM Corporation 1989. All rights reserved.



Display Format: - Change Format

Previous Page Next Page Go to Doc#